Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010 Date of issue:8/10/2014 Revision date:18/04/2016Supersedes:13/07/2015 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

: CHAMPION COOLANT -36°C STANDARD G11 Product name

Product code : 50100 Product group · Blend

Relevant identified uses of the substance or mixture and uses advised against 1.2.

1.2.1. Relevant identified uses

: Industrial use.Professional use.Consumer use Main use category

Industrial/Professional use spec : Non-dispersive use

Used in closed systems

: Liquid for car cooling circuit Function or use category

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V. Georges Gilliotstraat, 52 2620 Hemiksem - België T 0032 (0)3 870 00 00 - F 0032 (0)3 870 00 99

info@wolfoil.com

1.4. **Emergency telephone number**

Emergency number : +32 14 58 45 45 (NL/EN/FR/DE)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 Specific target organ toxicity — Repeated exposure, Category 2 H373

Full text of H statements : see section 16

2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS08

Signal word (CLP) : Warning Hazardous ingredients : ethanediol

: H302 - Harmful if swallowed Hazard statements (CLP)

H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure (on

ingestion)

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand

P270 - Do not eat, drink or smoke when using this product

P301+P312 - IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell

P330 - Rinse mouth

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations

Child-resistant fastening : No Tactile warning : No

18/04/2016 EN (English) 1/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Other hazards 2.3.

No additional information available

SECTION 3: Composition/information on ingredients

Substance

Not applicable

3.2. **Mixture**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanediol	(CAS No) 107-21-1 (EC no) 203-473-3 (EC index no) 603-027-00-1 (REACH-no) 01-2119456816-28	50 - 75	Acute Tox. 4 (Oral), H302 STOT RE 2, H373

Full text of H-statements: see section 16

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general

: In all cases of doubt, or when symptoms persist, seek medical attention. First-aid measures after inhalation Adverse effects not expected from this product. Allow breathing of fresh air. Place the victim in

semi-seated position. Seek medical advice.

Remove contaminated clothing. Wash skin with mild soap and water. If skin irritation or rash First-aid measures after skin contact

occurs: Get medical advice/attention.

First-aid measures after eye contact In case of eye contact, immediately rinse with clean water for 10-15 minutes. Contact lenses

should be removed. Seek medical attention if ill effect or irritation develops.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person.

Get immediate medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal

Symptoms/injuries after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.

Symptoms/injuries after eye contact Not expected to present a significant eye contact hazard under anticipated conditions of normal

use.

Symptoms/injuries after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media : Foam. Dry chemical product. Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

: Wear suitable protective clothing and gloves. Protective equipment

For emergency responders 6.1.2.

Protective equipment : Wear suitable protective clothing and gloves.

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

18/04/2016 EN (English) 2/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Methods and material for containment and cleaning up 6.3.

For containment : Impound and recover large spill by mixing it with inert granular solids.

Methods for cleaning up : Detergent. Small quantities of liquid spill: take up in non-combustible absorbent material and

shovel into container for disposal.

Other information : Spill area may be slippery. Use suitable disposal containers.

Reference to other sections

No additional information available

SECTION 7: Handling and storage

Precautions for safe handling

: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually Precautions for safe handling

required. Remove ignition sources. No open flames. No smoking. Take precautionary

measures against static discharges.

Wash hands and other exposed areas with mild soap and water before eating, drinking or Hygiene measures

smoking and when leaving work.

Conditions for safe storage, including any incompatibilities

Storage temperature : 40 °C Prohibitions on mixed storage : Food.

Storage area : Store in dry, cool, well-ventilated area.

Special rules on packaging : Packaging destined for the general public must be fitted with a tactile danger indication.

Specific end use(s)

Anti-Freeze and De-icing products.

SECTION 8: Exposure controls/personal protection

Control parameters

CHAMPION COOLANT -36°C STANDARD G11		
EU	IOELV STEL (mg/m³)	104 mg/m³ @ 15 min.
EU	IOELV STEL (ppm)	40 ppm @ 15 min.

8.2. **Exposure controls**

: Safety glasses. Gloves. Personal protective equipment

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Hand protection

Butyl rubber (IIR) /. Polyvinylchloride (PVC) /

: Safety glasses. Standard EN 166 - Personal eye-protection. Eye protection

Skin and body protection : No special clothing/skin protection equipment is recommended under normal conditions of use

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment





SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid Appearance : Liquid. Colour : Blue. Odour : mild. slight. Odour threshold : No data available : 7,5 - 9,5

pH solution : ≥ 0

Relative evaporation rate (butylacetate=1) : No data available : No data available Melting point

: -36 °C Freezing point Boiling point : ≥ 133 °C : 111 °C Flash point Auto-ignition temperature : 400 °C

18/04/2016 EN (English) 3/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

: No data available Decomposition temperature Flammability (solid, gas) No data available : 1,823 hPa @20°C Vapour pressure : 9,613 hPa @50°C Vapour pressure at 50 °C Relative vapour density at 20 °C : No data available Relative density No data available Density 1071 kg/m3 @ 20°C

Solubility : Miscible.

Log Pow : No data available : 1,89 cSt @20°C Viscosity, kinematic Viscosity, dynamic : 2,03 cP @20°C Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

Chemical stability 10.2.

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

Conditions to avoid 10.4.

No additional information available

10.5. Incompatible materials

No additional information available

Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1.	Information	on toxico	logical eff	ects

Acute toxicity : Oral: Harmful if swallowed.

ATE CLP (oral) 500,000 mg/kg bodyweight

ethanediol (107-21-1)

LD50 oral rat 500 mg/kg Skin corrosion/irritation : Not classified pH: 7,5 - 9,5 Serious eye damage/irritation : Not classified

pH: 7,5 - 9,5 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity Not classified Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated May cause damage to organs (kidneys) through prolonged or repeated exposure (on exposure)

ingestion).

Not classified Aspiration hazard

CHAMPION COOLANT -36°C STANDARD G11

Viscosity, kinematic 1,89 mm²/s @20°C

Potential adverse human health effects and

symptoms

: Ingestion may cause nausea, vomiting and diarrhea.

18/04/2016 EN (English) 4/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

12.1. Toxicity

ethanediol (107-21-1)	
LC50 fish 1	53000 mg/l @96h - Pimephales promelas
EC50 Daphnia 1	51000 mg/l @48h - Daphnia magna
EC50 other aquatic organisms 1	24000 mg/l @168h - Selenastrum capricornutum

12.2. Persistence and degradability

CHAMPION COOLANT -36°C STANDARD G11		
Persistence and degradability Prevent entry to sewers and public waters.		
ethanediol (107-21-1)		
Biochemical oxygen demand (BOD)	0,47 g O₂/g substance	
Chemical oxygen demand (COD)	1,29 g O₂/g substance	
Biodegradation	90 %	

12.3. Bioaccumulative potential

ethanediol (107-21-1)	
Bioconcentration factor (BCF REACH)	10
Log Pow	-1,36

12.4. Mobility in soil

ethanediol (107-21-1)	
Surface tension	49890 N/m @25°C

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Presents no specific risk for the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

18/04/2016 EN (English) 5/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Packing group

Packing group (ADR) : Not applicable Packing group (IMDG) : Not applicable Packing group (IATA) : Not applicable Packing group (ADN) : Not applicable Packing group (RID) : Not applicable

Environmental hazards 14.5.

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

Special precautions for user 14.6.

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

No data available

- Rail transport

No data available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. **National regulations**

Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

giftige stoffen - Ontwikkeling

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation Young people below the age of 18 years are not allowed to use the product

> Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

18/04/2016 EN (English) 6/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 16: Other information

Indication of changes:

managed.			
1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Label elements	Modified	·
15	Chemical safety assessment	Modified	
16	Abbreviations and acronyms	Modified	

Abbreviations and acronyms:

Abbievialio	is and actoriyms.
	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed
H373	May cause damage to organs through prolonged or repeated exposure

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

18/04/2016 EN (English) 7/7