Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2019, Revision 25.10.2019

Version 09. Supersedes version: 08 Page 1 / 12

SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1 Product identifier			
		febi 01381 antifreeze Article number: 22274, 22272, 12710, 01381, 33830, 71381	
1.2	Relevant identified uses of the su	ubstance or mixture and uses advised against	
1.2.1	Relevant uses		
		Anti-freezing agents	
1.2.2	2 Uses advised against		
		For all uses not specified in SECTION 1.2.1	
1.3 Details of the supplier of the safety data sheet		ety data sheet	
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com	
	Address enquiries to		
	Technical information	info@febi.com	
	Safety Data Sheet	info@febi.com	
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (English)	
	Company	+49 2333 911-0	
SEC	TION 2: Hazards identification		

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Acute Tox. 4: H302 Harmful if swallowed. STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Eye Dam. 1: H318 Causes serious eye damage. Repr. 2: H361d Suspected of damaging the unborn child.

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2019, Revision 25.10.2019



Version 09. Supersedes version: 08

Page 2 / 12

2.2 Label elements The product is classified and required to be labelled in accordance with EC-Directives Hazard pictograms Signal word DANGER Contains: Ethylene glycol potassium 2-ethylhexanoate Hazard statements H302 Harmful if swallowed. H373 May cause damage to organs through prolonged or repeated exposure. H318 Causes serious eye damage. H361d Suspected of damaging the unborn child. **Precautionary statements** P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P260 Do not breathe vapours. P270 Do no eat, drink or smoke when using this product. P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell. P314 Get medical advice / attention if you feel unwell. P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER / doctor /... P405 Store locked up. 2.3 Other hazards Physico-chemical hazards No particular hazards known. Human health dangers If swallowed or in the event of vomiting, risk of product entering the lungs. Frequent persistent contact with the skin can cause skin irritation. Other hazards none

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
60 - < 100	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373
1 - < 5	potassium 2-ethylhexanoate
	CAS: 3164-85-0, EINECS/ELINCS: 221-625-7, Reg-No.: 01-2119980714-29-XXXX
	GHS/CLP: Repr. 2: H361d - Eye Dam. 1: H318 - Skin Irrit. 2: H315

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2019, Revision 25.10.2019

SECTION 4: First aid measures



Version 09. Supersedes version: 08 Page 3 / 12

4.1	Description of first aid measures	
	General information	Change soaked clothing.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Consult a doctor immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.
4.2	Most important symptoms and eff	ects, both acute and delayed
		No information available.
4.3	Indication of any immediate medi	cal attention and special treatment needed
		Treat symptomatically. If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor.
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	foam, dry powder, water spray jet, carbon dioxide
	Extinguishing media that must not be used	Full water jet.
5.2	Special hazards arising from the	substance or mixture
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)
5.3	Advice for firefighters	
		Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measur	es
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	ment and cleaning up
		Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
•		See SECTION 8+13

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2019, Revision 25.10.2019



Version 09. Supersedes version: 08 Page 4 / 12

SECTION 7: Handling and storage 7.1 Precautions for safe handling Use only in well-ventilated areas. Take off contaminated clothing and wash before reuse. Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Contaminated work clothing should not be allowed out of the workplace. 7.2 Conditions for safe storage, including any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with oxidizing agents. Do not store together with food and animal food/diet. Keep container tightly closed. Keep container in a well-ventilated place. Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2019, Revision 25.10.2019



Version 09. Supersedes version: 08 Page 5 / 12

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
Long-term exposure: 20 ppm, 52 mg/m ³ , Vapour, particulate: 10 mg/m ³
Short-term exposure (15-minute): 40 ppm, 104 mg/m ³

Ingredients with occupational exposure limits to be monitored (EU)

.0		
	Substance / EC LIMIT VALUES	
[Ethylene glycol	
[CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX	
[Eight hours: 20 ppm, 52 mg/m ³ , H	
[Short-term (15-minute): 40 ppm, 104 mg/m ³	

DNEL

PNEC

Substand	ce contraction of the second
Ethylene	glycol, CAS: 107-21-1
Industrial	, dermal, Long-term - systemic effects: 106 mg/m ³ .
Industrial	, inhalative, Long-term - local effects: 35 mg/m ³ .
general p	oopulation, dermal, Long-term - systemic effects: 53 mg/m ³ .
general p	oopulation, inhalative, Long-term - local effects: 7 mg/m ³ .
potassiur	n 2-ethylhexanoate, CAS: 3164-85-0
Industrial	, dermal, Long-term - systemic effects: 5,95 mg/kg bw/d.
Industrial	, inhalative, Long-term - systemic effects: 32 mg/m ³ .
general p	oopulation, oral, Long-term - systemic effects: 2,5 mg/kg bw/d.
general p	oopulation, dermal, Long-term - systemic effects: 2,98 mg/kg bw/d.
general p	oopulation, inhalative, Long-term - systemic effects: 8 mg/m ³ .
Substand	pe
Ethylene	glycol, CAS: 107-21-1
freshwate	er, 10 mg/L.
seawater	r, 1 mg/L.
sediment	t (freshwater), 37 mg/kg.
soil, 1,53	mg/kg.
sewage t	reatment plants (STP), 199,5 mg/l (AF=10).
sediment	t (seawater), 3,7 mg/kg.
potassiur	n 2-ethylhexanoate, CAS: 3164-85-0
soil, 1.06	mg/kg.
sediment	i (seawater), 637 μg/kg.
sediment	: (freshwater), 6.37 mg/kg.
sewage t	reatment plants (STP), 71.7 mg/L.
seawater	; 36 μg/L.
freshwate	er, 360 μg/L.

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2019, Revision 25.10.2019

Version 09. Supersedes version: 08 Page 6 / 12

8.2	Exposure controls	
	Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
	Eye protection	Safety glasses. (EN 166:2001)
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
	Skin protection	Light protective clothing.
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not inhale vapours.
	Respiratory protection	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
	Thermal hazards	No information available.
	Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	red
Odor	characteristic
Odour threshold	No information available.
pH-value	7,5 - 9 (33%)
pH-value [1%]	No information available.
Boiling point [°C]	120
Flash point [°C]	> 110 (DIN 51758)
Flammability (solid, gas) [°C]	> 400 (DIN 51794)
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	<0,01 (20°C)
Density [g/ml]	1,123 (DIN 51757)
Bulk density [kg/m³]	not applicable
Solubility in water	miscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	> 22 mm²/s (20 °C) (DIN 51562/T1)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

9.2 Other information

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2019, Revision 25.10.2019



Version 09. Supersedes version: 08 Page 7 / 12

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Oxidizing agent Acids Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2019, Revision 25.10.2019

Version 09. Supersedes version: 08 Page 8 / 12

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.:
dermal, Based on the available information, the classification criteria are not fulfilled .:
ATE-mix, oral, 556,0 mg/kg bw.

ubstance	
thylene glycol, CAS: 107-21-1	
D50, dermal, mouse: > 3500 mg/kg.	
D50, oral, Rat: 7712 mg/kg.	
C50, inhalative, Rat: > 2,5 mg/l 6h.	
DLo, oral, Human: ca. 1600 mg/kg.	
otassium 2-ethylhexanoate, CAS: 3164-85-0	
D50, dermal, Rabbit: 2000 mg/kg bw.	
D50, oral, Rat: 2043 mg/kg bw.	
C50, inhalative, Rat: 110 mg/m³ (8 h).	

Serious eye damage/irritation	Toxicological data of complete product are not available. Risk of serious damage to eyes. Calculation method
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Toxicological data of complete product are not available. May cause damage to organs through prolonged or repeated exposure. Calculation method
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Toxicological data of complete product are not available. Suspected of damaging the unborn child. Calculation method
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



Date printed 25.10.2019, Revision 25.10.2019



Version 09. Supersedes version: 08 Page 9 / 12

SECTION 12: Ecological information

12.1 Toxicity

Product	
Based on the available information, the classification criteria are not fulfilled.:	
Substance	
Ethylene glycol, CAS: 107-21-1	
LC50, (96h), Pimephales promelas: 72 860 mg/l.	
EC50, (96h), Selenastrum capricornutum: 6500 - 13000 mg/l.	
EC50, (48h), Daphnia magna: > 100 mg/l OECD 202.	
potassium 2-ethylhexanoate, CAS: 3164-85-0	
LC50, (96h), fish: 100 mg/L.	
EC50, (6d), Algae: 49.3 mg/L.	
EC50, (48h), Crustacea: 85.4 mg/L.	

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2019, Revision 25.10.2019



Version 09. Supersedes version: 08 Page 10 / 12

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product	
	Dispose of as hazardous waste.
	Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	160114*
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling.
	Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110*
	150102
	150104

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to	NO DANGEROUS GOODS
ADR/RID	

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Transport hazard class(es)	
Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
	Transport by land according to ADR/RID Inland navigation (ADN) Marine transport in accordance with

Air transport in accordance with IATA not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2019, Revision 25.10.2019



Version 09. Supersedes version: 08 Page 11 / 12

14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6	to 8.
14.7	Transport in bulk according to An not applicable	nex II of MARPOL and the IBC Code
SEC	TION 15: Regulatory information	
15.1	Safety, health and environmental EEC-REGULATIONS	regulations/legislation specific for the substance or mixture 1991/689 (2001/118): 2010/75; 2004/42; 648/2004; 1907/2006 (REACH):

EEC-REGULATIONS1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;
75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014TRANSPORT-REGULATIONSADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)NATIONAL REGULATIONS (GB):EH40/2005 Workplace exposure limits (Second edition, published December 2011).Observe employment restrictions
for peopleObserve employment restrictions for mothers-to-be and nursing mothers. Observe
employment restrictions for young people.• VOC (2010/75/CE)0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H315 Causes skin irritation.

H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H302 Harmful if swallowed.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 25.10.2019, Revision 25.10.2019

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises

RID = Reglement concernant le transport international terroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure	Acute Tox. 4: H302 Harmful if swallowed. (Calculation method) STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.
	(Calculation method)
	Eye Dam. 1: H318 Causes serious eye damage. (Calculation method)
	Repr. 2: H361d Suspected of damaging the unborn child. (Calculation method)

Modified position

none