

Date printed 19.09.2019, Revision 18.09.2019

Version 09. Supersedes version: 08

Page 1 / 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

SWAG 10 92 1829 gear oil Article number: 10 92 1829

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de Safety Data Sheet info@swag.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms none
Signal word none

Hazard statements H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/national regulation.

Special labelling Contains: Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with

phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). EUH208 May

produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards none



Date printed 19.09.2019, Revision 18.09.2019

Version 09. Supersedes version: 08 Page 2 / 10

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
0,25- < 1	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol
	CAS: 1218787-32-6, EINECS/ELINCS: 620-540-6, Reg-No.: 01-2119510877-33-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1C: H314 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M = 10
*	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
	CAS: -, EINECS/ELINCS: 931-384-6
	GHS/CLP: Acute Tox. 4: H302 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411

Comment on component parts All chemical substances in this material are included on or exempted from listing on the

IECSC Inventory.

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.



Date printed 19.09.2019, Revision 18.09.2019

Version 09. Supersedes version: 08

Page 3 / 10

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash face and/or hands before break and end of work.

Cloths contaminated with product should not be kept in trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

7.3 Specific end use(s)

See product use, SECTION 1.2



Date printed 19.09.2019, Revision 18.09.2019

Version 09. Supersedes version: 08 Page 4 / 10

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

DNEL

Substance
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6
Industrial, dermal, Long-term - systemic effects: 0.3 mg/kg bw/day.
Industrial, inhalative, Long-term - systemic effects: 2.112 mg/m³.
general population, oral, Long-term - systemic effects: 0.214 mg/kg bw/day.
general population, dermal, Long-term - systemic effects: 0.214 mg/kg bw/day.
general population, inhalative, Long-term - systemic effects: 0.745 mg/m³.

PNEC

Substance	
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6	
oral (food), 2 mg/kg food.	
soil, 5 mg/kg soil dw.	
sediment (seawater), 0.169 mg/kg sediment dw.	
sediment (freshwater), 1.692 mg/kg sediment dw.	
sewage treatment plants (STP), 1500 μg/L.	
seawater, 0.021 µg/L.	
freshwater, 0.214 µg/L.	

8.2 Exposure controls

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection If there is a risk of splashing:

safety glasses (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection Respiratory protection mask in the event of high concentrations.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.



Date printed 19.09.2019, Revision 18.09.2019

Version 09. Supersedes version: 08

Page 5 / 10

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Color light yellow

Odor characteristic

Odour threshold not applicable

pH-value [1%] not applicable

Boiling point [°C]No information available.

Flash point [°C] 221 (ISO 2592)

Flammability (solid, gas) [°C] No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/ml] 0,87 (DIN 51757) (15 °C / 59,0 °F)

Bulk density [kg/m³] not applicable

Solubility in water immiscible

Partition coefficient [n-octanol/water] No information available.

Viscosity 40,8 mm²/s (40°C); (DIN 51562)

Relative vapour density determined

in air

No information available.

Evaporation speed No information available.

Melting point [°C] No information available.

Autoignition temperature [°C] not applicable

Decomposition temperature [°C]No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Oxidizing agent Strong basic compounds strong acids

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 19.09.2019, Revision 18.09.2019

Version 09. Supersedes version: 08 Page 6 / 10

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled .:

inhalative, Based on the available information, the classification criteria are not fulfilled.:

dermal, Based on the available information, the classification criteria are not fulfilled .:

Substance

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), CAS:

LD50, oral, Rat: 2000 mg/kg.

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

LD50, oral, Rat: 1500 mg/kg bw (OECD 425)

Serious eye damage/irritation

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Respiratory or skin sensitisation

Toxicological data of complete product are not available.

May produce an allergic reaction.

Calculation method

Specific target organ toxicity —

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Mutagenicity

Reproduction toxicity

Carcinogenicity Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

SECTION 12: Ecological information

12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled.:

Substance

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), CAS: -

LC50, (96h), fish: 24 mg/l.

EC50, (48h), Daphnia magna: 91,4 mg/l.

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

LC50, (24h), Danio rerio: >0.29 mg/L (OECD 203)

EC50, (24h), Daphnia magna: 0.21 mg/L (OECD 202).

EC10, (72h), Daphnia magna: 34.1 μg/L (OECD 201).

EC10, (21d), Daphnia magna: 10.7 μg/L (OECD 211).



Date printed 19.09.2019, Revision 18.09.2019

Version 09. Supersedes version: 08 Page 7 / 10

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant

not determined

Biological degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic

processes, e.g. mechanical separation.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecotoxicological data are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Coordinate disposal with the authorities if necessary.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 130205* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110*

SECTION 14: Transport information

14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable



Date printed 19.09.2019, Revision 18.09.2019

Version 09. Supersedes version: 08 Page 8 / 10

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable



Date printed 19.09.2019, Revision 18.09.2019

Version 09. Supersedes version: 08 Page 9 / 10

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

no

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects. H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H302 Harmful if swallowed.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure
ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration

ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative



Date printed 19.09.2019, Revision 18.09.2019

Version 09. Supersedes version: 08 Page 10 / 10

16.3 Other information

Classification procedure Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

Modified position SECTION 2 deleted: EUH210 Safety data sheet available on request.

SECTION 2 been added: H412 Harmful to aquatic life with long lasting effects.

SECTION 2 been added: Aquatic Chronic 3 SECTION 2 deleted: No classification.