

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**SWAG 99 90 8971 automatic transmission fluid (ATF)**  
**Article number: 99 90 8971, 10 93 0017**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Gearbox oil

#### 1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

### 1.3 Details of the supplier of the safety data sheet

**Company** SWAG Autoteile GmbH  
Am Kiesberg 4-6  
42117 Wuppertal / GERMANY  
Phone +49 (0)202 26454-0  
Fax +49 (0)202 26454-5000  
Homepage [www.swag.de](http://www.swag.de)  
E-mail [info@swag.de](mailto:info@swag.de)

#### Address enquiries to

**Technical information** [info@swag.de](mailto:info@swag.de)  
**Safety Data Sheet** [info@swag.de](mailto:info@swag.de)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

**Hazard pictograms** none  
**Signal word** none  
**Hazard statements** none  
**Precautionary statements** none  
**Special labelling** EUH210 Safety data sheet available on request.

### 2.3 Other hazards

**Human health dangers** If swallowed or in the event of vomiting, risk of product entering the lungs.  
Frequent persistent contact with the skin can cause skin irritation.  
**Other hazards** No particular hazards known.

### SECTION 3: Composition / Information on ingredients

#### Product-type:

3.2 The product is a mixture.

Range [%]	Substance
15 - < 30	Distillates (petroleum), hydrotreated light paraffinic CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX GHS/CLP: Asp. Tox. 1: H304
1 - < 2,5	Methacrylate copolymer EINECS/ELINCS: Polymer GHS/CLP: Eye Irrit. 2: H319

#### Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Take off contaminated clothing and wash before reuse.

##### Inhalation

Ensure supply of fresh air.  
In the event of symptoms seek medical treatment.

##### Skin contact

When in contact with the skin, clean with soap and water.  
Consult a doctor if skin irritation persists.

##### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

##### Ingestion

Seek medical advice immediately.  
Do not induce vomiting.  
Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.  
Forward this sheet to the doctor.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Carbon dioxide.  
Dry powder.  
Foam.

##### Extinguishing media that must not be used

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.  
Risk of formation of toxic pyrolysis products.  
Sulphur oxides (SO<sub>x</sub>).  
Nitrogen oxides (NO<sub>x</sub>).

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.  
Forms slippery surfaces with water.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).  
Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid formation of aerosols.  
The product is combustible.  
Fire class (DIN EN 2): B  
Do not eat, drink or smoke when using this product.  
Use barrier skin cream.  
Wash hands before breaks and after work.  
Cloths contaminated with product should not be kept in trouser pockets.  
Take off contaminated clothing and wash before reuse.  
Contaminated work clothing should not be allowed out of the workplace.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Do not store together with oxidizing agents.  
Keep container tightly closed.  
Keep container in a well-ventilated place.  
Protect from heat/overheating.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

Substance
Distillates (petroleum), hydrotreated light paraffinic
CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
Long-term exposure: 5 mg/m <sup>3</sup> , ACGIH TLV (OIL MIST)

#### DNEL

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
Industrial, dermal, Long-term - systemic effects: 1 mg/kg bw/day.
Industrial, inhalative, Long-term - local effects: 5,6 mg/m <sup>3</sup> .
Industrial, inhalative, Long-term - systemic effects: 2,7 mg/m <sup>3</sup> .
general population, oral, Long-term - systemic effects: 0,74 mg/kg bw/day.

#### PNEC

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
oral (food), 9,33 mg/kg food.

### 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. General exposure limit for oil mist should be noted.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3). > 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	light protective clothing
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
<b>Thermal hazards</b>	none
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form	liquid
Color	red
Odor	mild
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	> 160 (DIN ISO 2592)
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	< 0,01 (20°C)
Density [g/ml]	ca. 0,854 (DIN 51757) (15 °C / 59,0 °F)
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	ca. 38 mm <sup>2</sup> /s (40°C) (DIN 51562/T1) 7,1 mm <sup>2</sup> /s (100°C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	ca. -40°C (Drop Point)
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	> 65

### 9.2 Other information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.  
Reactions with acids.

### 10.4 Conditions to avoid

Strong heating.  
Decomposes begins at > 65°C °C.

### 10.5 Incompatible materials

Oxidizing agent

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product
oral, Based on the available information, the classification criteria are not fulfilled.:
inhalative, Based on the available information, the classification criteria are not fulfilled.:
dermal, Based on the available information, the classification criteria are not fulfilled.:
Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
LD50, oral, Rat: >5000 mg/kg bw (OECD 401).
LD50, dermal, Rabbit: >2000 mg/kg bw (OECD 402).

**Serious eye damage/irritation** Based on the available information, the classification criteria are not fulfilled.

**Skin corrosion/irritation** Based on the available information, the classification criteria are not fulfilled.

**Respiratory or skin sensitisation** Based on the available information, the classification criteria are not fulfilled.

**Specific target organ toxicity — single exposure** Based on the available information, the classification criteria are not fulfilled.

**Specific target organ toxicity — repeated exposure** Based on the available information, the classification criteria are not fulfilled.

**Mutagenicity** Based on the available information, the classification criteria are not fulfilled.

**Reproduction toxicity** Based on the available information, the classification criteria are not fulfilled.

**Carcinogenicity** Based on the available information, the classification criteria are not fulfilled.

**Aspiration hazard** Based on the available information, the classification criteria are not fulfilled.

#### General remarks

Toxicological data of complete product are not available.  
 The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

## SECTION 12: Ecological information

### 12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.:
Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
EL50, (24h), Daphnia magna: >10000 mg/l (OECD 202).
LL50, (96h), Pimephales promelas: >100 mg/l (OECD 203).
NOEL, (72h), Pseudokirchneriella subcapitata: >100 mg/l (OECD 201).
NOEL, (21d), Daphnia magna: >10 mg/l (OECD 211).

### 12.2 Persistence and degradability

**Behaviour in environment compartments** not determined

**Behaviour in sewage plant** No information available.

**Biological degradability** The product is only slightly biodegradable.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

In according to RoHS!  
Coordinate disposal with the authorities if necessary.

#### Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

#### Waste no. (recommended)

150102  
150104  
150110\*

## SECTION 14: Transport information

### 14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

**TRANSPORT-REGULATIONS** ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people no

- VOC (2010/75/CE) 0%

#### 15.2 Chemical safety assessment

not applicable





## SECTION 16: Other information

### 16.1 Hazard statements (SECTION 03)

H304 May be fatal if swallowed and enters airways.  
H319 Causes serious eye irritation.

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
ELINCS = European List of Notified Chemical Substances  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV@/TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

#### Classification procedure

#### Modified position

none