

Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06 Page 1 / 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1	1.1 Product identifier			
		SWAG 30938200 antifreeze G 13 Article number: 30938202, 30938201, 30938200		
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised against			
1.2.1	Relevant uses			
		Anti-freezing agents		
1.2.2	1.2.2 Uses advised against			
		None known.		
1.3	3 Details of the supplier of the safety data sheet			
	Company	SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de		
	Address enquiries to			
	Technical information	info@swag.de		
	Safety Data Sheet	info@swag.de		
1.4	Emergency telephone number			
	Advisory body	+49 (0)89-19240 (24h) (English)		
SEC	SECTION 2: Hazards identification			
2.1	Classification of the substance of	or mixture [REGULATION (EC) No 1272/2008]		
2.1	Classification of the substance of	or mixture [REGULATION (EC) No 1272/2008] STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Repr. 2: H361d Suspected of damaging the unborn child.		
2.1 2.2	Classification of the substance of Label elements	STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.		
	Label elements	STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.		
		STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Repr. 2: H361d Suspected of damaging the unborn child.		
	Label elements	STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Repr. 2: H361d Suspected of damaging the unborn child.		
	Label elements Hazard pictograms	STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Repr. 2: H361d Suspected of damaging the unborn child. The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP). Image: Comparison of the product of the produc		
	Label elements Hazard pictograms Signal word Contains:	STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Repr. 2: H361d Suspected of damaging the unborn child. The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP). WARNING Ethylene glycol Sodium 2-ethylhexanoate		
	Label elements Hazard pictograms Signal word	STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Repr. 2: H361d Suspected of damaging the unborn child. The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).		
	Label elements Hazard pictograms Signal word Contains:	 STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Repr. 2: H361d Suspected of damaging the unborn child. The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP). WARNING Ethylene glycol Sodium 2-ethylhexanoate H373 May cause damage to organs through prolonged or repeated exposure. 		
	Label elements Hazard pictograms Signal word Contains: Hazard statements	 STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Repr. 2: H361d Suspected of damaging the unborn child. The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP). WARNING Ethylene glycol Sodium 2-ethylhexanoate H373 May cause damage to organs through prolonged or repeated exposure. H361d Suspected of damaging the unborn child. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P260 Do not breathe vapours. P280 Wear protective gloves / protective clothing / eye protection / face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor. P405 Store locked up. P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of 		
2.2	Label elements Hazard pictograms Signal word Contains: Hazard statements Precautionary statements	 STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Repr. 2: H361d Suspected of damaging the unborn child. The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP). WARNING Ethylene glycol Sodium 2-ethylhexanoate H373 May cause damage to organs through prolonged or repeated exposure. H361d Suspected of damaging the unborn child. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P260 Do not breathe vapours. P280 Wear protective gloves / protective clothing / eye protection / face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor. P405 Store locked up. P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of 		
2.2	Label elements Hazard pictograms Signal word Contains: Hazard statements Precautionary statements	 STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. Repr. 2: H361d Suspected of damaging the unborn child. The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP). Werking WARNING Ethylene glycol Sodium 2-ethylhexanoate H373 May cause damage to organs through prolonged or repeated exposure. H361d Suspected of damaging the unborn child. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P260 Do not breathe vapours. P280 Wear protective gloves / protective clothing / eye protection / face protection. P301 +P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor. P405 Store locked up. P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. If swallowed or in the event of vomiting, risk of product entering the lungs. 		



Date printed 04.11.2019, Revision 04.11.2019

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

	Range [%] Substance		
	30 - < 80 Ethylene glycol		
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1		
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373		
	> 10 Glycerol		
			ECS/ELINCS: 200-289-5
	3 - < 5	Sodium 2-ethylhexa	
			EINECS/ELINCS: 243-283-8
		GHS/CLP: Repr. 2:	H361d
	Comment on com	ponent parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.
SEC	TION 4: First aid	measures	
4.1	Description of fi	irst aid measures	
	General information	on	Take off contaminated clothing and wash before reuse.
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion		Seek medical advice immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.
4.2	Most important	symptoms and ef	fects, both acute and delayed
			No information available.
4.3	Indication of an	y immediate medi	ical attention and special treatment needed
			Treat symptomatically. Forward this sheet to the doctor.
SEC	TION 5: Fire-fight	ting measures	
5.1	Extinguishing m	nedia	
	Suitable extinguis	shing media	Carbon dioxide. Water spray jet. Dry powder. Foam.
	Extinguishing me be used	dia that must not	Full water jet.
5.2	Special hazards	arising from the	substance or mixture
-		J. J	Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)
5.3	Advice for firefig	ghters	
			Use self-contained breathing apparatus.
			Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Date printed 04.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06 Page 3 / 10

SECTION 6: Accidental release measures			
6.1	Personal precautions, protective equipment and emergency procedures		
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.	
6.2	Environmental precautions		
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.	
6.3	Methods and material for containment and cleaning up		
		Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth). Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to other sections		
		See SECTION 8+13	
SEC	TION 7: Handling and storage		
7.1	Precautions for safe handling		
		Use only in well-ventilated areas.	
		The product is combustible.	
		Remove soiled or soaked clothing immediately. Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.	
7.2	2 Conditions for safe storage, including any incompatibilities		
		Keep only in original container.	
		Do not store together with oxidizing agents.	
		Keep container in a well-ventilated place. Keep container tightly closed.	
7.3	Specific end use(s)		
		See product use, SECTION 1.2	

bfe00092

42117 Wuppertal

Date printed 04.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06 Page 4 / 10

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1
Long-term exposure: 20 ppm, 52 mg/m ³ , Vapour, particulate: 10 mg/m ³
Short-term exposure (15-minute): 40 ppm, 104 mg/m ³
Glycerol
CAS: 56-81-5, EINECS/ELINCS: 200-289-5
Long-term exposure: 10 mg/m ³

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES	
Ethylene glycol	
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1	
Eight hours: 20 ppm, 52 mg/m ³ , H	
Short-term (15-minute): 40 ppm, 104 mg/m ³	

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	Nitrile rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not inhale vapours.
Respiratory protection	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Date printed 04.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06 Page 5 / 10

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	violet
Odor	mild
Odour threshold	No information available.
pH-value	8,35
pH-value [1%]	No information available.
Boiling point [°C]	> 170 (352°F)
Flash point [°C]	122
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	1,13 (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	miscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	No information available.
Relative vapour density determined in air	> 1
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

not determined

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Version 07. Supersedes version: 06 Page 6 / 10

42117 Wuppertal

Date printed 04.11.2019, Revision 04.11.2019

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled .:
ATE-mix, dermal, mouse: > 3500 mg/kg bw.
ATE-mix, oral, mouse: 2016 mg/kg bw.

Substance
Sodium 2-ethylhexanoate, CAS: 19766-89-3
LD50, dermal, Rat: >2000 mg/kg bw (OECD 402).
LD50, oral, Rat: 2043 mg/kg bw (OECD 401).
LC0, inhalative, Rat: 0,11 mg/l air (OECD 403).
Glycerol, CAS: 56-81-5
LD50, oral, Rat: 12 600 mg/kg.
Ethylene glycol, CAS: 107-21-1
LD50, dermal, mouse: > 3500 mg/kg Lit
LD50, oral, Rat: 4700 mg/kg.
LC50, inhalative, Rat: > 200 mg/m ³ 4h.
LDLo, oral, Human: ca. 1600 mg/kg Lit

medicinal professions, experts for occupational health and safety and toxicologists.

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Toxicological data of complete product are not available. May cause damage to organs through prolonged or repeated exposure. Calculation method
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Toxicological data of complete product are not available. Suspected of damaging the unborn child. Calculation method
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the



Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06 Page 7 / 10

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled .:
Substance
Sodium 2-ethylhexanoate, CAS: 19766-89-3
LC50, (96h), Oryzias latipes: >100 mg/l (OECD 203).
EC50, (72h), Desmodesmus subspicatus: 49,3 mg/l.
NOEC, (21d), Daphnia magna: 25 mg/l (OECD 211).
EC0, (48h), Daphnia magna: 62,5 mg/l (Directive 79/831/EEC, Annex V, Part C).
Glycerol, CAS: 56-81-5
LC50, (96h), fish: > 1000 mg/l.
EC50, (48h), Algae: > 2900 mg/l.
EC50, (72h), Bacteria: > 1000 mg/l.
Ethylene glycol, CAS: 107-21-1
LC50, (96h), fish: 41000 mg/l.
EC50, (48h), Daphnia magna: 34250 mg/l.

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



Date printed 04.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06 Page 8 / 10

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product	
	Disposal in an incineration plant in accordance with the regulations of the local authorities. Dispose of as hazardous waste.
Waste no. (recommended)	160114*
Contaminated packaging	
	Packaging that cannot be cleaned should be disposed of as for product. Uncontaminated packaging may be taken for recycling.
Waste no. (recommended)	150102 150104 150110*

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to	NO DANGEROUS GOODS	
ADR/RID		

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Transport hazard class(es)			
Transport by land according to ADR/RID	not applicable		
Inland navigation (ADN)	not applicable		
Marine transport in accordance with IMDG	not applicable		
	ADR/RID Inland navigation (ADN) Marine transport in accordance with		

Air transport in accordance with IATA not applicable

42117 Wuppertal

Date printed 04.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06 Page 9 / 10

14.4	Packing group				
	Transport by land according to ADR/RID	not applicable			
	Inland navigation (ADN)	not applicable			
	Marine transport in accordance with IMDG	not applicable			
	Air transport in accordance with IATA	not applicable			
14.5	Environmental hazards				
	Transport by land according to ADR/RID	no			
	Inland navigation (ADN)	no			
	Marine transport in accordance with IMDG	no			
	Air transport in accordance with IATA	no			
14.6	.6 Special precautions for user				
	Relevant information under SECTION 6	to 8.			
14.7	Transport in bulk according to Ar	nex II of MARPOL and the IBC Code			
	not applicable				
SECT	SECTION 15: Regulatory information				
15.1	Safety, health and environmental	regulations/legislation specific for the substance or mixture			
	EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014			
	TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)			
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).			
	- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.			
	- VOC (2010/75/CE)	79,99 %			
15.2	Chemical safety assessment	For this product a chemical safety assessment has not been carried out.			
SECT	TION 16: Other information				
16 1	Hazard statements				

16.1 Hazard statements (SECTION 03)

H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H302 Harmful if swallowed.



Date printed 04.11.2019, Revision 04.11.2019

Version 07. Supersedes version: 06 Page 10 / 10

```
16.2 Abbreviations and acronyms:
```

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. (Calculation method) Repr. 2: H361d Suspected of damaging the unborn child. (Calculation method)

Modified position

Classification procedure

none